



# MATERIAL SAFETY DATA SHEET

## TERRAZOLE® 35WP

**Version:** 1.6  
**Date of Issue:** 06/25/2007  
**Date printed:** 01/24/2009

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

---

**Product name :** TERRAZOLE® 35WP

**Chemical name:** Etridiazole

**Use of substance/preparation:** Fungicide

**Supplier:** Chemtura Corporation  
199 Benson Road  
Middlebury, CT 06749 USA

**Emergency telephone number:** CHEMTREC (24 hours) 800-424-9300  
Chemtura Corporation Emergency Response (24 hours) 800-292-5898

**Environmental, Health and Safety Department:** 866-430-2775

**Prepared by** Product Safety Department      Date of Issue: 06/25/2007  
(US) +1 866-430-2775  
(EU) +44 (0) 1753.603.000  
Email: MSDSRequest@chemtura.com

---

### 2. HAZARDS IDENTIFICATION

---

#### EMERGENCY OVERVIEW

#### CAUTION!

MAY BE HARMFUL IF INHALED, SWALLOWED, OR ABSORBED THROUGH SKIN.

MAY CAUSE MODERATE IRRITATION TO EYES.

MAY CAUSE SKIN IRRITATION.

PROLONGED AND/OR REPEATED EXPOSURE MAY CAUSE THE FOLLOWING EFFECTS:

MAY CAUSE LIVER DAMAGE.

CONTAINS A COMPONENT WHICH IS A POSSIBLE CANCER HAZARD BASED ON ANIMAL DATA.

---

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

INGREDIENT	% BY WEIGHT
Etridiazole CAS# 2593-15-9	35
Anionic/Nonionic surfactant blend CAS# -	< 5
Crystalline Silica (Cristobalite) CAS# 14464-46-1	< 2



# MATERIAL SAFETY DATA SHEET

## TERRAZOLE® 35WP

**Version:** 1.6  
**Date of Issue:** 06/25/2007  
**Date printed:** 01/24/2009

Ingredients not precisely identified are non-hazardous and/or proprietary.

---

### 4. FIRST AID MEASURES

---

#### **Swallowing**

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

#### **Inhalation**

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

#### **Skin contact**

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

#### **Eye contact**

Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

---

### 5. FIRE-FIGHTING MEASURES

---

**Flash point:** > 230 °F > 110 °C  
**Autoignition temperature:** 355 °C

#### **NFPA CLASSIFICATION**

<b>Health: 2</b>	<b>Flammability: 3</b>	<b>Reactivity: 0</b>	<b>Special provisions: Dust explosion hazard</b>
------------------	------------------------	----------------------	--

#### **Hazardous combustion products**

Irritating fumes.  
Oxides of carbon.  
Oxides of nitrogen.

#### **Special fire fighting procedures**

Do not discharge extinguishing waters into streams, rivers and lakes.

#### **Special protective equipment for firefighters**

Body covering protective clothing, full "turn-out" gear.  
Self-contained breathing apparatus.

#### **Extinguishing media**

**Suitable:**           **Large fires:**  
                          - alcohol-type foam or universal-type foams  
                          **Small fires:**  
                          - CO2  
                          - dry chemical  
                          - water spray

**Unsuitable:**        - water jets

---

### 6. ACCIDENTAL RELEASE MEASURES

---

#### **Personal precautions**

Evacuate unnecessary personnel., Avoid all contact with material., Wear suitable protective equipment.



# MATERIAL SAFETY DATA SHEET

## TERRAZOLE® 35WP

**Version:** 1.6  
**Date of Issue:** 06/25/2007  
**Date printed:** 01/24/2009

### Environmental precautions

Prevent from entering sewer system, surface water or soil.

### Methods for cleaning up

Avoid dust formation.  
Sweep up and dispose of as instructed

---

## 7. HANDLING AND STORAGE

---

### HANDLING

#### Handling precautions

Wear recommended personal protection equipment., Warn personnel about the dangers of the product., Keep container tightly closed., Avoid dispersion of dust to reduce fire and explosion potential.

#### Other precautions

NOTE TO END-USERS: The employee protection recommendations on this MSDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.

### STORAGE

#### Storage requirements

Store in a cool, dry place.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### EXPOSURE LIMIT VALUES

<u>Component</u>	<u>Type</u>	<u>Value</u>	<u>Remark</u>
Particulates not otherwise regulated	TWA, OSHA	15.0 mg/m <sup>3</sup>	Total dust
	TWA, OSHA	5.0 mg/m <sup>3</sup>	Respirable fraction
	TWA - ACGIH	10.0 mg/m <sup>3</sup>	Total inhalable dust
	TWA - ACGIH	3.0 mg/m <sup>3</sup>	Respirable fraction

### PERSONAL PROTECTION

#### Respiratory protection

In the absence of engineering controls sufficient to maintain airborne concentrations below recommended occupational exposure limit values, appropriate respiratory protection should be utilized., The determination of appropriate respiratory protection is best performed, on a case by case basis, taking into consideration the exposure conditions of the particular operation., Use an approved full-face air-purifying respirator. For emergency and other conditions where the exposure limit may be greatly exceeded, use an approved positive-pressure self-contained breathing apparatus., The respirator manufacturer should be consulted to ensure that the air-purifying cartridges utilized will provide adequate protection for the exposure conditions and period of wear concerned.

#### Hand protection / protective gloves

Chemical resistant protective gloves

#### Eye protection

Full face shield.

#### Skin protection

Chemical resistant protective clothing.

#### Industrial hygiene measures

Before eating, drinking or smoking, wash hands and face thoroughly with soap and water.

### ENGINEERING CONTROLS

**TERRAZOLE® 35WP**

**Version:** 1.6  
**Date of Issue:** 06/25/2007  
**Date printed:** 01/24/2009

**Ventilation**

Provide local exhaust or process enclosure ventilation system.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

**APPEARANCE**

Physical state	Powder
Color	Clear/grey
Odor	Pungent
Odor threshold	Not available

**OTHER PROPERTIES**

Boiling point	Not available
Melting point	Not available
pH	8.0
Bulk density	0.3 kg/m3
Solubility in water	Dispersible
Solubility in organic solvents	Soluble
Partitioning coefficient	log POW: 3.37
Flash point	> 230 °F > 110 °C
Autoignition temperature	355 °C
Molecular weight	247.5
Solids concentration	100 %

---

**10. STABILITY AND REACTIVITY**

---

**Stability:** This product is stable under normal storage and handling conditions.

**Incompatible materials:**

Oxidizing agents.

**Hazardous combustion products:**

Irritating fumes.  
Oxides of carbon.  
Oxides of nitrogen.

**Hazardous polymerization:** Will not occur.



**TERRAZOLE® 35WP**

Version: 1.6  
Date of Issue: 06/25/2007  
Date printed: 01/24/2009

---

**11. TOXICOLOGICAL INFORMATION**

---

SWALLOWING

Test results

Acute toxicity: LD50 Rat  
Result: 3,300 mg/kg

SKIN ABSORPTION

Test results

Acute toxicity: LD50 - Rabbit  
Result: > 2,000 mg/kg

INHALATION

Test results

Acute toxicity: LC50 - Rat  
Result: > 2.8 mg/l  
Exposure time: 4 h

SKIN CONTACT

Test results

Skin irritation: Species: Rabbit  
Result: Non irritating.

EYE CONTACT

Test results

Eye irritation: Species: Rabbit  
Result: Moderate

SENSITIZATION

Test results:

Species: - Guinea pigs  
Result: Negative

---

**12. ECOLOGICAL INFORMATION**

---

Biodegradation: Remark: Not readily biodegradable.

<u>Component ecotoxicology</u> Etridiazole <u>Acute toxicity fish:</u>	LC50 - Rainbow trout (Oncorhynchus mykiss) Result: 2.4 mg/l Exposure time: 96 h
--	---

<u>Component ecotoxicology</u> Etridiazole <u>Acute toxicity fish:</u>	LC50 - Bluegill (Lepomis macrochirus) Result: 3.27 mg/l Exposure time: 216 h
--	--

<u>Component ecotoxicology</u> Etridiazole <u>Acute toxicity fish:</u>	LC50 - Sheepshead minnow (Cyprinodon variegatus) Result: 4.0 mg/l Exposure time: 96 h
--	---

<u>Component ecotoxicology</u> Etridiazole <u>Aquatic toxicity to plants:</u>	EC50 - Algae Result: 0.072 mg/l Exposure time: 120 h
---	--



# MATERIAL SAFETY DATA SHEET

## TERRAZOLE® 35WP

**Version:** 1.6  
**Date of Issue:** 06/25/2007  
**Date printed:** 01/24/2009

Component ecotoxicology Etridiazole Acute toxicity to aquatic invertebrates:	EC50 - Water flea (Daphnia magna) Result: 3.1 mg/l Exposure time: 48 h
--	--

### 13. DISPOSAL CONSIDERATIONS

**General:** Dispose of in accordance with appropriate Federal, State, and local regulations., Avoid discharge to sewers and natural waters.

### 14. TRANSPORT INFORMATION

#### DOT Classification

**Proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Etridiazole)  
**Class:** 9  
**UN ID #:** UN3077  
**Packing group:** III

Not regulated by ground or rail if shipped or transported in container less than 400 kg.

#### IMDG Classification

**Proper shipping name:** Environmentally hazardous substance, solid, n.o.s.  
**Class:** 9  
**Subsidiary risk:** marine pollutant  
**UN ID #:** UN 3077  
**Packing group:** III  
**Technical description** (Etridiazole)

#### ICAO Classification

**Proper shipping name:** Environmentally hazardous substance, solid, n.o.s.  
**Class:** 9  
**UN ID #:** UN 3077  
**Packing group:** III  
**Technical description** (Etridiazole)

Only regulated by air Into, Out of or Within the United States in containers 881.8 lbs (400 kg) or greater.

### 15. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

\*\*\*\* NONE \*\*\*\*

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

\*\*\*\* NONE \*\*\*\*



# MATERIAL SAFETY DATA SHEET

## TERRAZOLE® 35WP

**Version:** 1.6  
**Date of Issue:** 06/25/2007  
**Date printed:** 01/24/2009

### New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

<b>Chemical name</b>	<b>CAS#</b>	<b>New Jersey TS Number</b>
Etridiazole	2593-15-9	
<b>Anionic/Nonionic surfactant blend</b>	-	
<b>Crystalline Silica (Cristobalite)</b>	<b>14464-46-1</b>	

**EPA Hazard Categories (SARA 311, 312):** Immediate Health Hazard, Delayed Health Hazard

### California Proposition 65

Contains 5-ethoxy-3-(trichloromethyl)-1,2,4-thiadiazole

## 16. OTHER INFORMATION

**RECOMMENDED USES AND RESTRICTIONS: NOTE TO END-USERS:** This MSDS is being provided to all interested persons in accordance with federal and state right-to-know laws. Precautionary Statements, First Aid Statements and Directions for Use of this product by end-users are contained on the product label and must be followed at all times.

### HMIS RATING

<b>Health: 2</b>	<b>Flammability: 3 (DUST)</b>	<b>Reactivity: 0</b>	<b>PPI: X</b>
------------------	-------------------------------	----------------------	---------------

STP	Standard temperature and pressure
W/W	Weight/Weight 0 (HMIS)
1 (HMIS)	Slight hazard
2 (HMIS)	Moderate hazard
3 (HMIS)	Serious hazard
4 (HMIS)	Severe hazard
X (HMIS)	Personal protection rating to be supplied by user depending on use conditions

Copyright  
2007  
Chemtura  
Corporation

THE OPINIONS EXPRESSED HEREIN ARE THOSE OF QUALIFIED EXPERTS WITHIN CHEMTURA CORPORATION. WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET, SINCE THE USE OF THIS INFORMATION AND OF THESE OPINIONS AND THE CONDITIONS OF USE OF THIS PRODUCT ARE NOT WITHIN THE CONTROL OF CHEMTURA CORPORATION, IT IS THE USER'S OBLIGATION TO DETERMINE THE CONDITIONS OF SAFE USE OF THE PRODUCTS.